





# Sharks in the Southeastern Pacific: Conservation and Management Challenges in Peru

## Tiburones en el Pacífico Sudeste: desafíos para la conservación y el manejo en el Perú

Enrique Efraín Medina Sánchez<sup>1,2\*</sup> , Kiara Soto Meléndez<sup>1,2</sup> ,  
Silvia Elizabeth Pérez Cruz<sup>1,2</sup> , Valentina Quezada Rodríguez<sup>1,2</sup> ,  
Alexandra Carolina Orué Carranza<sup>1,2,3</sup>  y Franck Pozo Vargas<sup>1</sup> 

1 Marine Biology Course. Faculty of Marine, Environmental and Sustainable Production Sciences, Universidad Científica del Sur. Lima, Peru.  
2 Sustainable Ocean Alliance Peru. Lima, Peru.  
3 Aquatic Communities Research Group, Universidad Científica del Sur. Lima, Peru.



**Cite as:** Medina Sánchez *et al.* (2026). «Sharks in the Southeastern Pacific: Conservation and Management Challenges in Peru». *South Sustainability*, 7(1), e140.  
DOI: 10.21142/SS-0701-2026-e140

Article received: 6/10/2025  
Peer reviewed  
Article accepted: 25/2/2026



© Los autores, 2026. Publicado por la Universidad Científica del Sur (Lima, Perú)

\* Corresponding author:  
enriquemesan2209@gmail.com

Associate editor: Edgar Josymar Torrejón Magallanes

### RESUMEN

Los tiburones son depredadores tope, esenciales para regular los ecosistemas y mantener el equilibrio trófico marino. En el Perú, la presión pesquera de tiburones se debe principalmente al consumo humano, ya que 33 de las 56 especies reportadas interactúan con la pesquería y la mayor parte del esfuerzo pesquero se centra en únicamente seis especies. Esta recopilación de información analiza el marco regulatorio vigente de las pesquerías de tiburones en el Perú y la necesidad de fortalecer estas normativas. Aunque la Unión Internacional para la Conservación de la Naturaleza (UICN) ha identificado cinco Áreas de Importancia para Tiburones, Rayas y Quimeras (ISRA) en aguas peruanas, estas aún no se integran en las estrategias nacionales de conservación. Asimismo, se insta a las instituciones a reforzar la investigación en este grupo de condricthios, a fin de implementar un manejo adaptativo basado en evidencia científica para evitar el colapso poblacional de estos depredadores ocasionado por la sobrepesca.

**Palabras clave:** depredadores tope, tiburones, sobrepesca, ISRA

### ABSTRACT

Sharks are apex predators, essential for regulating ecosystems and maintaining marine trophic balance. In Peru, fishing pressure on sharks is driven primarily by human consumption, with 33 of the 56 reported species interacting with fisheries and most of the fishing effort concentrated on only six species. In this synthesis, we analyze the current regulatory framework governing shark fishing in Peru and address the need to strengthen existing measures. Although the International Union for Conservation of Nature (IUCN) has identified five Important Shark, Ray and Chimaera Areas (ISRAs) in Peruvian waters, these have yet to be integrated into national conservation strategies. In addition, we call upon institutions to increase research on this group of chondrichthyans, in order to facilitate the implementation of evidence-based adaptive management, with the aim of preventing the population collapse of these apex predators as a result of overfishing.

**Keywords:** apex predators, sharks, overfishing, ISRAs



## Introduction


International trade in shark products is driven primarily by high demand for shark fin soup and meat for human consumption (Dulvy *et al.*, 2014). In 2011, the declared value of global shark fishing was USD 438.6 million from 17,154 tons of exported fins and USD 379.8 million from 121,641 tons of imported shark meat (Dulvy *et al.*, 2017). Furthermore, previous studies have indicated that a large proportion of the fins taken come from species listed in CITES Appendix II (Partin *et al.*, 2022; Villate-Moreno *et al.*, 2021; Da Silva Ferrette *et al.*, 2019).

In Peru, Ministerial Resolution No. 209-2001-PE establishes minimum catch sizes for fourteen species, leaving most shark species not covered by specific size-based management measures. Along the Peruvian coast, there are a total of 59 authorized landing sites (PRODUCE, 2025). While the National Plan of Action for Sharks (PAN Tiburón - Perú) does not establish minimum landing sizes, it does compile existing regulations and outline management and conservation strategies (PRODUCE, 2014). Rather than being limited to shark meat consumers, conservation campaigns should also target the general public, fishers, businesses and government institutions (De la Lama *et al.*, 2018).

## Approach and discussion

Important Shark and Ray Areas (ISRAs) are spatially defined regions identified through a global assessment process led by the IUCN Shark Specialist Group (ISRA, 2025). These spatially delineated areas are defined by a rigorous set of ecological criteria, such as the presence of essential life-cycle stages, critical migratory routes and endemic populations (Jabado *et al.*, 2025). Five ISRAs have been identified within Peruvian waters (Figure 1; Supplementary material S1). Of these, three are located entirely within national jurisdiction and two are shared with Honduras, Nicaragua, Costa Rica, Panama, Colombia and Ecuador (Jabado *et al.*, 2023).

Peru hosts one of the largest shark fisheries in the Southeastern Pacific (González-Pestana *et al.*, 2022), exerting strong pressure on shark and ray populations (Worm *et al.*, 2024), while conservation efforts are undermined by weak management and enforcement (González-Pestana *et al.*, 2016; Jabado *et al.*, 2024). Along the Peruvian coast, 56 shark species have been recorded (Campos-León *et al.*, 2025; Cornejo *et al.*, 2015), of which 33 interact directly with fisheries (González-Pestana *et al.*, 2016). Landing composition indicates that blue sharks (*Prionace glauca*) and shortfin mako sharks (*Isurus oxyrinchus*) dominate artisanal catches in northern Peru, and in many cases size structure analysis has revealed a substantial proportion of immature individuals, particularly in the case of hammerhead sharks (*Sphyrna* spp.) (Gonzalez-Pestana *et al.*, 2016; Gonzalez-Pestana *et al.*, 2020).



**Figure 1.** Important Shark and Ray Areas (ISRAs), Peru  
 Note: Adapted from ISRA Database, IUCN Shark Specialist Group (2025).

Their reproductive characteristics make shark species particularly susceptible to overfishing. These characteristics include slow growth, late maturity, low fecundity and an extended reproductive cycle (Huynh *et al.*, 2022). Further studies focused on the reproductive biology and development of elasmobranch will be essential, in order to facilitate the proposal of appropriate fisheries management measures, by providing the scientific data required to safeguard their different life stages and, consequently, to ensure the sustainability over time of fishing activity (Kinney and Simpfendorfer, 2009; Fernandez, 2014). However, historically such studies have been rare in Peru, in a situation that highlights the need to apply the precautionary principle established in the General Environmental Law (Law No. 28611). Lack of absolute scientific certainty should not be used as an argument for not implementing, or for postponing the adoption of, effective and efficient fisheries management measures aimed at preventing or reducing the risk of serious or irreversible damage to the marine ecosystem (SPDA, 2024).

Fishing alters trophic dynamics by selectively removing top predators, lowering the mean trophic level of catches

and disrupting energy flow (Bănarú *et al.*, 2013). Evidence from the Balearic Islands shows that adjustments in fishing intensity and fleet composition can restore trophic structure (Sánchez-Zulueta *et al.*, 2023), while properly enforced marine protected areas maintain higher trophic levels and more stable dynamics (Marguin *et al.*, 2025). In addition, genetic analysis of landings has exposed misidentification (Marín *et al.*, 2022), while satellite-tagging studies have revealed fine-scale diel movement patterns that influence how sharks interact with fisheries, with implications for vulnerability to capture (Vedor *et al.*, 2021). Moreover, monitoring conducted by the IUCN Red List reveals that overfishing remains one of the primary causes of population decline for many chondrichthyan species across the world (Ebert *et al.*, 2023; Worm *et al.*, 2024).

Peruvian law establishes minimum catch sizes for fourteen shark species (PRODUCE, 2001) and prohibits the landing of detached fins or trunks (PRODUCE, 2016); however, this measure to control catch sizes is rendered largely ineffective by the variability in size across different species, as well as the limited scope of control and inspection (González *et al.*, 2016).

Important management tools such as gear restrictions, catch limits, bycatch regulation and seasonal closures are also absent from the National Action Plan for Sharks, Rays and Related Species (PRODUCE, 2014) and to date Peru has no Fisheries Management Regulations (ROP) to cover any shark species (SPDA, 2020). A seasonal closure from January 1 to March 10 (RM 008-2016-PRODUCE) governs the landing of smooth hammerhead sharks (*Sphyrna zygaena*), but only the whale shark (*Rhincodon typus*) is fully protected (RM 331-2017-PRODUCE).

Across Latin America, shark protection laws remain uneven and inconsistently enforced. Since 1975, Peru has been a signatory to the Convention on International Trade in Endangered Species of Wild Fauna and Flora (CITES) (Presidencia de la República del Perú, 1975), which regulates the trade in threatened species. However, regional inconsistencies in implementation persist. In Ecuador, shark fishing has been banned since 2003 (Jacquet *et al.*, 2008), and yet the sale of bycaught individuals has made it one of the region's main shark fin exporters (Carr *et al.*, 2013). In November 2023, CITES reported high levels of fin trafficking from Ecuador to Peru and, in March 2024, it suspended Appendix-II shark and ray trade from Ecuador (Notification No. 2024/043), under a restriction that remains in effect. In Peru, irregularities have also been identified in the issuance of export permits for shark fins and meat, underscoring the urgent need to strengthen monitoring and enforcement mechanisms (Castañeda and Delgado, 2023; Oceana Perú, 2022).

Bycatch is one of the major threats to marine fish populations, although in risk assessments species-

specific survival rates are rarely considered (Gallagher *et al.*, 2014). Regulations often require the release of incidentally caught individuals of threatened species; however, post-release survival varies widely. In Costa Rica, Executive Decree No. 43900-MAG-MINAE (2023) mandates the immediate release of incidentally caught hammerhead sharks (*Sphyrna* spp.). Nevertheless, studies indicate that such measures are largely ineffective, as most individuals die shortly after being caught on pelagic longlines (Gallagher *et al.*, 2014), highlighting the need to incorporate post-release mortality into regional bycatch management and risk assessment frameworks.

## Conclusion and recommendations

In Peru, shark populations face intense fishing pressure and an inadequate regulatory framework. While 56 species and five ISRAs have been identified, significant knowledge gaps persist, in terms of monitoring, traceability and the study of migratory behavior. Improved research on species diversity, distribution and ecological roles is urgently required, together with pilot projects incorporating genetic identification, satellite tagging and population assessments in the context of fisheries.

Although no conclusive evidence of a decline in shark populations in Peruvian fisheries has been published, observed landing patterns point to the need for precautionary management. There is an urgent need for Peruvian institutions such as the Marine Institute of Peru (IMARPE), the Ministry of the Environment (MINAM), the Ministry of Production (PRODUCE), the National Service of State-Protected Natural Areas (SERNANP), and the National Council for Science, Technology and Technological Innovation (CONCYTEC) to implement plans for strengthening scientific research and promoting adaptive management strategies for shark conservation. Any such efforts will need to recognize both the ecological role that sharks play as apex predators, as well as their importance in terms of the sustainability of marine ecosystems.

Several Peruvian universities, including Universidad Científica del Sur, the National Agrarian University-La Molina, San Marcos National University, Cayetano Heredia Peruvian University, the National University of Piura, and San Agustín National University, together with research centers such as IMARPE, are actively conducting research focused on sharks and rays. These studies range from trophic ecology and taxonomic identification to fishery monitoring and the conservation of ecologically important species and critical habitats, such as nursery and migratory zones. Improved collaboration between universities, government agencies and non-governmental organizations will be required, as an essential component in the generating of updated scientific knowledge and the promotion of public policies designed to ensure shark conservation in Peruvian waters.



### **Authors' contributions**

The authors participated equally in the conceptualization, development, analysis and writing of this document, contributing their individual knowledge and expertise throughout each stage of the process.

### **Funding sources**

This work was conducted using the authors' own resources, with no external financial support from any public or private institutions.

### **Conflicts of interest statement**

The authors declare no conflicts of interest that could have influenced the content, analysis or conclusions of this policy brief.

### **AI declaration**

The authors declare that no artificial intelligence tool was used in any part of the manuscript preparation process.

### **Acknowledgments**

The authors would like to thank Keny Kanagusuku Gondo for her revisions and comments during the preliminary drafting phase of this policy brief, which contributed to its overall clarity and content.

## Bibliographic references

- Bănanu, D., Mellon-Duval, C., Roos, D., Bigot, J. L., Souplet, A., Jadaud, A., Beaubrun, P., and Fromentin, J. M. (2013). «Trophic structure in the Gulf of Lions marine ecosystem and fishing impacts». *Journal of Marine Systems*, 111-112, pp. 45-68. Available at: <https://doi.org/10.1016/j.jmarsys.2012.09.010>
- Campos-León, S., Hernández-Muñoz, S., Huerta-Beltrán, B. L., Zavalaga, F., Cevallos-Garcías, A., and Ehemann, N. (2025). «Peruvian Chondrichthyes biodiversity, marketing and conservation: a synthesis of current knowledge». *Journal of Fish Biology*, pp. 1-22. Available at: <https://doi.org/10.1111/jfb.70227>
- Carr, L., Stier, A., Fietz, K., Montero, I., Gallagher, A., and Bruno, J. (2013). «Pesca ilegal de tiburones en la Reserva Marina de Galápagos». *Marine Policy*, 39, pp. 317-321. Available at: <https://doi.org/10.1016/j.marpol.2012.12.005>
- Castañeda, M. I. S., and Delgado, E. B. (2023). «El tráfico ilegal de tiburón (*Selachimorpha*, Perú)». *Sapientia & Iustitia*, (7), pp. 141-164. Available at: <https://doi.org/10.35626/sapientia.74.70>
- Convention on International Trade in Endangered Species of Wild Fauna and Flora (CITES). (2023). SC77 Doc. 33.7. Aplicación del Artículo XIII en Ecuador. Available at: <https://cites.org/sites/default/files/documents/E-SC77-33-07.pdf>
- Convention on International Trade in Endangered Species of Wild Fauna and Flora (CITES). (2024). «Notificación a las Partes No. 2024/043. Suspensión del comercio de tiburones y rayas desde Ecuador». Available at: <https://cites.org/sites/default/files/notifications/E-Notif-2024-043.pdf>
- Cornejo, R., González-Pestana, A., Alfaro-Shigueto, J., Mangel, J. C., and Velez-Zuazo, X. (2015). «An updated checklist of Chondrichthyes from the southeast Pacific off Peru». *Check List*, 11(6), 1809. Available at: <https://doi.org/10.15560/11.6.1809>
- Da Silva Ferrette, B. L., Domingues, R. R., Ussami, L. H. F., Moraes, L., De Oliveira Magalhães, C., De Amorim, A. F., Hilsdorf, A. W. S., Oliveira, C., Foresti, F., and Mendonça, F. F. (2019). «DNA-based species identification of shark finning seizures in Southwest Atlantic: implications for wildlife trade surveillance and law enforcement». *Biodiversity and Conservation*, 28(14), pp. 4007-4025. <https://doi.org/10.1007/s10531-019-01862-0>
- De la Lama, R. L., De la Puente, S., and Riveros, J. C. (2018). «Attitudes and misconceptions towards sharks and shark meat consumption along the Peruvian coast». *PLoS ONE*, 13(8), e0202971. Available at: <https://doi.org/10.1371/journal.pone.0202971>
- Dulvy, N. K., Fowler, S. L., Musick, J. A., Cavanagh, R. D., Kyne, P. M., Harrison, L. R., Carlson, J. K., Davidson, L. N., Fordham, S. V., Francis, M. P., Pollock, C. M., Simpfendorfer, C. A., Burgess, G. H., Carpenter, K. E., Compagno, L. J., Ebert, D. A., Gibson, C., Heupel, M. R., Livingstone, S. R., and White, W. T. (2014). «Extinction risk and conservation of the world's sharks and rays». *eLife*, 3, e00590. Available at: <https://doi.org/10.7554/elife.00590>
- Dulvy, N. K., Simpfendorfer, C. A., Davidson, L. N., Fordham, S. V., Bräutigam, A., Sant, G., and Welch, D. J. (2017). «Challenges and Priorities in Shark and Ray Conservation». Available at: *Current Biology*, 27(11), R565-R572. <https://doi.org/10.1016/j.cub.2017.04.038>
- Ebert, D. A., Cevallos Garcías, A., Fahmi, Pestana, A. G., Muñoz, S. H., Leurs, G., and Simeon, B. M. (2023). «Searching for lost sharks: extinct or alive?». *Oryx*, 57(4), pp. 419-420. Available at: <https://doi.org/10.1017/S0030605323000509>
- Gallagher, A. J., Orbesen, E. S., Hammerschlag, N., and Serafy, J. E. (2014). Vulnerability of oceanic sharks as pelagic longline bycatch. *Global Ecology and Conservation*, 1, pp. 50-59. <https://doi.org/10.1016/j.gecco.2014.06.003>
- González-Pestana, A., Alfaro-Shigueto, J., and Mangel, J. C. (2022). «A review of high trophic predator-prey relationships in the pelagic Northern Humboldt system, with a focus on anchovetas». *Fisheries Research*, 253, 106386. Available at: <https://doi.org/10.1016/j.fishres.2022.106386>
- González-Pestana, A., Kouri, J., and Velez-Zuazo, X. (2016). «Shark fisheries in the Southeast Pacific: A 61-year analysis from Peru». *F1000Research*, 3, 164. Available at: <https://doi.org/10.12688/f1000research.4412.2>
- González-Pestana, A., Alfaro-Shigueto, J., Mangel, J. C., and Kouri, J. (2020). «Diet, trophic interactions and possible ecological role of commercial sharks and batoids in northern Peruvian waters». *Journal of Fish Biology*, 98(3), pp. 768-783. Available at: <https://doi.org/10.1111/jfb.14624>
- Huynh, H. H., Hung, C.-Y., and Tsai, W.-P. (2022). «Análisis demográfico del tiburón mako (*Isurus oxyrinchus*) en el océano Pacífico Sur». *Animals*, 12(22), 3229. Available at: <https://doi.org/10.3390/ani12223229>
- Important Shark and Ray Areas (ISRA). (2025). What are ISRA's? Available at: <https://sharkrayareas.org/about-isras/>
- Jabado, R., Bettcher, V., Charles, R., García-Rodríguez, E., Palacios, M., Armstrong, A., Battle-Morera, A., Rohner, C., González-Pestana, A., Kyne, P., and Notarbartolo di Sciara, G. (2025). «Important Shark and Ray Areas (ISRAs) – Identifying key habitats for sharks, rays, and chimaeras». One Ocean Science Congress 2025, Nice, France, 3-6 June 2025, OOS2025-994. Available at: <https://doi.org/10.5194/oos2025-994>
- Jabado, R. W., García-Rodríguez, E., Kyne, P. M., Charles, R., Pestana, A. G., Priest, M., Battle-Morera, A., and Notarbartolo di Sciara, G. (2023). *Central and South American Pacific region. A regional compendium of Important Shark and Ray Areas*. Dubai: IUCN Species Survival Commission Shark Specialist Group. Available at: <https://doi.org/10.59216/ssg.isra.2023.r12>
- Jabado, R. W., Morata, A. Z. A., Bennett, R. H., Finucci, B., Ellis, J. R., Fowler, S. L., Grant, M. I., Barbosa Martins, A. P., and Sinclair, S. L. (Eds.). (2024). *The global status of sharks, rays, and chimaeras*. Gland, Switzerland: IUCN. Available at: <https://doi.org/10.59216/ssg.gsrsrc.2024>
- Jacquet, J., Alava, J. J., Pramod, G., Henderson, S., and Zeller, D. (2008). «In hot soup: sharks captured in Ecuador's waters». *Environmental Sciences*, 5(4), pp. 269-283. Available at: <https://doi.org/10.1080/15693430802466325>
- Kinney, M. J., and Simpfendorfer, C. A. (2009). «Reassessing the value of nursery areas to shark conservation and management». *Conservation Letters*, 2, pp. 53-60. <https://doi.org/10.1111/j.1755-263X.2008.00046.x>
- Marguin, A., Albouy, C., Coll, M., Valls, A., Piroddi, C., and Stergiou, K. I. (2025). «A systematic review of fishing impacts on the trophic level of fish populations and assemblages in the Mediterranean Sea». *Frontiers in Marine Science*, 12, 1489965. Available at: <https://doi.org/10.3389/fmars.2025.1489965>
- Marín, A. (2022). «Código de barras de ADN revela tiburón y peces óseos no identificados en las estadísticas de desembarque de las pesquerías artesanales del norte del Perú». *Marine and Fishery Sciences (MAFIS)*, 35(2), pp. 307-314. Available at: <https://doi.org/10.47193/mafis.3522022010502>



- Ministerio de la Producción (PRODUCE). (2001).** «Resolución Ministerial N.º 209-2001-PE. Aprueban relación de tallas mínimas de captura y tolerancia máxima de ejemplares juveniles de principales peces marinos e invertebrados». Diario Oficial *El Peruano*. Available at: <https://cdn.www.gob.pe/uploads/document/file/6943549/5991024-209-2001-pe.pdf?v=1726502384>
- Ministerio de la Producción (PRODUCE). (2014).** «Plan de Acción Nacional para la Conservación y Ordenamiento de Tiburones, Rayas y Especies Afines en el Perú (PAN Tiburón - Perú)». Available at: <https://cdn.www.gob.pe/uploads/document/file/11936/PAN-Tibur%C3%B3n.pdf?v=1530548083>
- Ministerio de la Producción (PRODUCE). (2016).** «Decreto Supremo N.º 021-2016-PRODUCE que establece medidas de ordenamiento para la pesquería del recurso tiburón». Diario Oficial *El Peruano*. Available at: <https://elperuano.pe/normaselperuano/2016/11/02/1448564-3.html>
- Ministerio de la Producción (PRODUCE). (2025).** «Resolución Directoral N.º 00007-2025-PRODUCE/DGSFS-PA: Listado de los puntos autorizados para el desembarque del recurso hidrobiológico Tiburón en el marco del Decreto Supremo N.º 021-2016-PRODUCE, modificado por el Decreto Supremo N.º 010-2017-PRODUCE». Available at: <https://cdn.www.gob.pe/uploads/document/file/7453267/6347331-rd-00007-2025-produce-dgsfs-pa.pdf?v=1735991747>
- Oceana Perú. (2022).** «Analysis of CITES permits for the export of sharks listed in Appendix II, issued by the Ministry of Production of Peru between 2017 and 2021». *Informe técnico*. Available at: <https://peru.oceana.org>
- Partin, T. G., González, A. J., and Burnham-Curtis, M. K. (2022).** «Sharks on a plane: Large shark fin seizure shines light on shark exploitation». *Forensic Science International Animals and Environments*, 2, 100055. Available at: <https://doi.org/10.1016/j.fsiae.2022.100055>
- Presidencia de la República del Perú. (1975).** «Decreto de Ley N.º 21080. Aprueban Convención para el Comercio de Especies Amenazadas de Flora y Fauna Silvestre». Diario Oficial *El Peruano*. Available at: <https://www.leyes.congreso.gob.pe/Documentos/Leyes/21080.pdf>
- Sánchez-Zulueta, R., Coll, M., Moranta, J., Quetglas, A., Navarro, J., and Tecchio, S. (2023).** «Trophic structure and fishing impacts on an oligotrophic ecosystem in the Western Mediterranean: The Balearic Islands». *Frontiers in Marine Science*, 10, 1166674. Available at: <https://doi.org/10.3389/fmars.2023.1166674>
- Sociedad Peruana de Derecho Ambiental (SPDA). (2020).** *Guía legal para la defensa de los ecosistemas y especies del mar peruano*. Lima: SPDA. Available at: [https://spda.org.pe/wp-content/uploads/2024/01/Guia-legal-mar-peruano\\_Actualizado.pdf](https://spda.org.pe/wp-content/uploads/2024/01/Guia-legal-mar-peruano_Actualizado.pdf)
- Sociedad Peruana de Derecho Ambiental (SPDA). (2024).** *Por el mar del Perú que queremos. Ensayos del Curso de Capacitación en Derecho Pesquero 2022*. Lima: SPDA. Available at: <https://spda.org.pe/wp-content/uploads/2024/07/ensayos-cdp-por-el-mar-del-peru-queremos-2022.pdf>
- Vedor, M., Mucientes, G., Hernández-Chan, S., Rosa, R., Humphries, N. E., Sims, D. W., and Queiroz, N. (2021).** «Oceanic diel vertical movement patterns of blue sharks vary with water temperature and productivity to change vulnerability to fishing». *Frontiers in Marine Science*, 8, 688076. Available at: <https://doi.org/10.3389/fmars.2021.688076>
- Villate-Moreno, M., Pollerspöck, J., Kremer-Obrock, F., and Straube, N. (2021).** «Molecular analyses of confiscated shark fins reveal shortcomings of CITES implementations in Germany». *Conservation Science and Practice*, 3(6). Available at: <https://doi.org/10.1111/csp2.398>
- Worm, B., Orofino, S., Burns, E. S., D'Costa, N. G., Feitosa, L. M., Palomares, M. L. D., Schiller, L., and Bradley, D. (2024).** «Global shark fishing mortality still rising despite widespread regulatory change». *Science*, 383(6679), pp. 225-230. Available at: <https://doi.org/10.1126/science.adf8984>